

Zinc standard solution, 1,000 mg/l Zn in dil. nitric acid (from Zn) ARISTAR® standard for ICP-MS

Zn in 2 % HNO₃

Traceable to SRM from NIST, tested in ISO Guide 34 /ISO17025 accredited laboratory.

Cat. No.	Pk	Pack type
456992F	100 ml	Plastic bottle

Supplied with certificate of analysis.

Zinc standard solution, 1,000 mg/l Zn in dil. nitric acid (from Zn) ARISTAR® standard for ICP

Zn in HNO₃

Traceable to SRM from NIST, tested in ISO Guide 34 /ISO17025 accredited laboratory.

Cat. No.	Pk	Pack type
456382Y	100 ml	Plastic bottle
456384K	500 ml	Plastic bottle

Supplied with certificate of analysis.

Zinc standard solution, 1,000 mg/l Zn in dil. nitric acid AVS TITRINORM® standard for AAS

Cat. No.	Pk	Pack type
86725.180	100 ml	Plastic bottle
86725.260	500 ml	Plastic bottle

Supplied with certificate of analysis.

Zinc acetate dihydrate

Acetic acid zinc salt dihydrate, Zinc (II) acetate dihydrate, Zinc diacetate dihydrate

Warning

H302 H410
P273 P301+P312

CAS 5970-45-6

EINECS: 209-170-2

UN: 3077

ADR 9,III

(H₃CCOO)₂Zn·2H₂O

M.W. 219.51 g/mol

Density: 1.718 g/cm³ (20 °C)

Melting Pt: 237 °C

Storage Temperature: Ambient temperature



Zinc acetate dihydrate AnalR NORMAPUR® analytical reagent

Assay	Min. 99.0 %	Insolubility in water	Max. 50 ppm
Not precipitated by (NH ₄) ₂ S (as SO ₄)	Max. 0.25 %	Reducing substances (as HCOOH)	Max. 0.015 %
Cl (Chloride)	Max. 5 ppm	NH ₄ ⁺ (Ammonium)	Max. 10 ppm
NO ₃ (Nitrate)	Max. 10 ppm	SO ₄ ²⁻ (Sulphate)	Max. 20 ppm
As (Arsenic)	Max. 2 ppm	Cu (Copper)	Max. 10 ppm
Fe (Iron)	Max. 5 ppm	Pb (Lead)	Max. 20 ppm

Cat. No.	Pk	Pack type
29088.235	250 g	Plastic bottle for solids
29088.292	1 kg	Plastic bottle for solids

Zinc acetate dihydrate GPR RECTAPUR®

Assay	Min. 98 %
Cl (Chloride)	Max. 50 ppm
SO ₄ (Sulphate)	Max. 0.02 %
Fe (Iron)	Max. 20 ppm
Pb (Lead)	Max. 100 ppm

Cat. No.	Pk	Pack type
29087.298	1 kg	Plastic bottle for solids

Zinc acetate, 0.25 mol/l, buffered with ammonium acetate, pH 6.4

Warning

H410
P273

CAS 557-34-6

EINECS: 209-170-2

UN: 3082

ADR 9,III

(H₃CCOO)₂Zn

Storage Temperature: Ambient temperature



Zinc acetate, 0.25 mol/l, buffered with ammonium acetate, pH 6.4 Reag. Ph. Eur. 1102301

Cat. No.	Pk	Pack type
87967.290	1 l	Plastic bottle

Supplied with certificate of analysis. Normally manufactured to order. Please check with customer services.

Zinc carbonate basic

Warning

H400 H411
P273 P391 P501

CAS 51839-25-9

EINECS: 257-467-0

Zn_x(OH)_(2+y)(CO₃)_y

M.W. 99.3947 to 125.4179



Zinc carbonate basic GPR RECTAPUR®

Assay (calculated as ZnO)	Min. 73 %
Heavy metals (as Pb)	Max. 100 ppm
Insolubility in diluted H ₂ SO ₄	Max. 0.05 %
Cl (Chloride)	Max. 100 ppm
NO ₃ (Nitrate)	Max. 100 ppm
SO ₄ (Sulphate)	Max. 1.0 %
As (Arsenic)	Max. 3 ppm
Fe (Iron)	Max. 20 ppm

Cat. No.	Pk	Pack type
29110.290	1 kg	Plastic bottle for solids

Zinc chloride

Zinc (II) chloride

Danger

H302 H314 H335 H410
P280 P273 P301+P330+P331 P304+P340 P309+P310

CAS 7646-85-7

Index 030-003-00-2

EINECS: 231-592-0

UN: 2331

ADR 8,III

ZnCl₂

M.W. 136.3 g/mol

Density: 2.91 g/cm³ (20 °C)

Boiling Pt: 732 °C (1013 hPa)

Melting Pt: 283 °C

Storage Temperature: Ambient temperature

