

Funnels with short stem RSG Solingen



Stainless steel

Smooth internal walls. Robust and strong. Multipurpose funnel for a wide variety of uses. Suspension eye

- Good chemical resistance, extremely high thermal resistance
- With air duct for discharging container airAutoclavable

Funnel O-Ø (mm)	Stem O-Ø (mm)	Stem length (mm)	Pk	Cat. No.
50	8,3	31	1	221-1000
80	13,8	50	1	221-1611
100	13,8	65	1	221-1612
120	13,8	80	1	221-1613
150	21,3	90	1	221-1614
200	21,3	90	1	221-1615
250	21,3	90	1	221-1616

Funnels, powder **DURAN Group**



DURAN®, borosilicate glass or soda-lime glass

With smooth internal walls. For transferring powdery materials. Can also be used for liquids. Funnel lip is ground and fire-polished.

- Good chemical and physical properties
- Use in applications that do not involve high thermal stresses (soda-lime glass) or require good thermal resistance (DURAN® borosilicate glass)
- Quick and easy to clean

Funnel O-Ø (mm)	Stem O-Ø (mm)	Stem length (mm)	Pk	Cat. No.				
DURAN® borosilicate glass								
70	22	30	1	221-1700				
80	24	30	1	221-1701				
100	26	30	1	221-1605				
120	34	30	1	221-1702				
160	35	30	1	221-1703				
200	40	30	1	221-1704				
Soda-lime glass								
70	22	30	1	221-1513				
80	24	30	1	221-0149				
100	26	30	1	221-0150				



Funnels, powder



PYREX®, borosilicate glass

Ideal for transferring powders, can also be used for liquids.

- Chemically resistant glass
 Minimal thermal expansion, giving relatively high resistance to temperature changes
- Quick and easy to clean

Funnel O-Ø (mm)	Stem O-Ø (mm)	Stem length (mm)	Pk	Cat. No.
80	25	25	10	221-0002

