


Tubing, PVC



PVC, transparent

- Low toxicity
- Very flexible
- Good chemical resistance

Conforms to BS 2775

Ø int. (mm)	Ø ext. (mm)	Wall thickness (mm)	Pk	Cat. No.
3,00	4,50	0,75	30 m	228-0106
5,00	8,00	1,50	30 m	228-0107
6,50	9,50	1,50	30 m	228-0108
8,00	12,00	2,00	30 m	228-0109
10,00	14,00	2,00	30 m	228-0102
12,50	17,00	2,25	30 m	228-0103
16,00	22,50	3,25	5 m	228-0104

Tubing, rubber Saint-Gobain



Natural rubber, red

Made of natural rubber, 45 shore GSR tubing offers good elasticity which makes it easy to install. It is light, supple, wear resistant and has good impermeability. It has good chemical resistance to acids and bases making it the ideal tubing for liquid handling in food, pharma, laboratory and general industry. Heavy wall sizes are available for semi-vacuum and vacuum.

- Excellent elasticity and flexibility, up to 400% elongation
- Wear resistant
- Good chemical resistance to acids and alkalis

Complies with the requirements of the US Food and Drugs Agency (FDA)

Temperature resistance: -40 to +70 °C

Hardness (Shore durometer A): 45

Density: 1.13

Sterilisation methods: Steam 30 minutes at 1 bar (+141 °C); ethylene oxide

Ø int. (mm)	Ø ext. (mm)	Wall thickness (mm)	Pk	Cat. No.
3,00	5,00	1,00	25 m	228-0926
3,00	6,00	1,50	10 m	228-0928
4,00	6,00	1,00	10 m	228-0929
4,00	6,00	1,00	25 m	228-4305
4,00	7,00	1,50	25 m	228-0930
4,00	8,00	2,00	25 m	228-0933
4,00	14,00	5,00	10 m	189-9121
4,00	14,00	5,00	25 m	228-0935
5,00	8,00	1,50	10 m	228-0938
5,00	8,00	1,50	25 m	228-0936
5,00	10,00	2,50	25 m	228-0939
5,00	15,00	5,00	10 m	228-4306
5,00	15,00	5,00	25 m	228-0941
6,00	9,00	1,50	10 m	228-0945
6,00	9,00	1,50	25 m	228-0943
6,00	10,00	2,00	25 m	228-0946
6,00	12,00	3,00	25 m	228-0949
6,00	16,00	5,00	10 m	228-0951
6,00	18,00	6,00	10 m	228-4307
6,00	18,00	6,00	25 m	228-0952
7,00	10,00	1,50	10 m	228-0956
7,00	10,00	1,50	25 m	228-0954
7,00	11,00	2,00	25 m	228-0957
7,00	15,00	4,00	10 m	228-0960
8,00	12,00	2,00	10 m	228-4308
8,00	12,00	2,00	25 m	228-0961
8,00	14,00	3,00	10 m	228-0965
8,00	14,00	3,00	25 m	228-0963
8,00	18,00	5,00	25 m	228-0968
8,00	20,00	6,00	10 m	228-0970
8,00	20,00	6,00	25 m	228-0696
9,00	13,00	2,00	10 m	228-0974
9,00	13,00	2,00	25 m	228-0972
8,00	22,00	7,00	10 m	228-0364
10,00	14,00	2,00	10 m	228-4309
10,00	14,00	2,00	25 m	228-0975
10,00	20,00	5,00	25 m	228-0977

Continued on next page