



Magnetic stirring bars, cross-shaped



PTFE covered, strong Alnico V magnetic core. Smooth surface. Stable rotating position for optimal stirring effect.

- Very good chemical resistance
- Temperature resistant, suitable for high and low temperature applications (-200 to +280 °C)

| Height (mm) | Ø (mm) | Pk | Cat. No. |
|-------------|--------|------|----------|
| 5 | 10 | 10 4 | 42-0394 |
| 8 | 20 | 10 4 | 42-0395 |
| 9 | 25 | 10 4 | 42-0396 |
| 10 | 30 | 10 4 | 42-0397 |
| 11 | 38 | 10 4 | 42-0398 |
| 15 | 50 | 10 4 | 42-0399 |
| 20 | 60 | 10 4 | 42-0400 |





Magnetic stirrers, with crosshead



PTFE covered, strong Alnico V magnetic core. Smooth surface. Particularly suitable for small stirring vessels, extremely effective stirring action.

- Very good chemical resistance
- Temperature resistant, suitable for high and low temperature applications (–200 to +280 °C)

| Height (mm) | Ø (mm) | Pk | Cat. No. |
|-----------------------------|--------|----|----------|
| With crosshead on one side | | | |
| 8 | 10 | 10 | 442-0417 |
| 12 | 14 | 10 | 442-0418 |
| 13 | 17 | 10 | 442-0419 |
| 15 | 25 | 10 | 442-0420 |
| 17 | 40 | 10 | 442-0421 |
| 17 | 60 | 10 | 442-0422 |
| With crosshead on both side | es | | |
| 8 | 10 | 10 | 442-0411 |
| 10 | 14 | 10 | 442-0412 |
| 13 | 17 | 10 | 442-0413 |
| 14 | 40 | 5 | 442-0415 |
| 15 | 22 | 10 | 442-0414 |
| 15 | 60 | 5 | 442-0416 |





Magnetic stirring discs



PTFE covered, strong Alnico V magnetic core. The special shape with raised surface in the centre ensures very good agitation even at low speeds. Ideal for use in glass beakers.

- Very good chemical resistance
- Temperature resistant, suitable for use at high and low temperatures (-200 to +280 °C)

| Length (mm) | Ø (mm) | Pk | Cat. No. |
|-------------|--------|----|----------|
| 45 | 27 | 5 | 442-0490 |
| 62 | 37 | 5 | 442-0491 |
| 70 | 37 | 5 | 442-0492 |