

Bottles, amber, wide mouth, with screw cap, Nalgene®
Thermo Scientific



HDPE, amber with amber PP screw cap

Amber coloured to protect light-sensitive materials. Can be used anywhere in the laboratory and for sample collection. Wide opening for rapid filling and dispensing of powders, pastes and liquids.

- Good chemical resistance
- Heat resistant up to +120 °C
- Leakproof

Capacity (ml)	Thread (mm)	Ø ext. (mm)	Height (mm)	Neck I-Ø (mm)	Pk	Cat. No.
30	28	34	63	21	12	215-7231
60	28	39	86	21	12	215-7232
125	38	50	99	28	12	215-7233
250	43	61	131	33	12	215-7234
500	53	73	168	44	12	215-7235
1000	63	91	199	53	6	215-7236

Bottles, heavy duty, wide mouth, with screw cap, Nalgene®
Thermo Scientific



HDPE, translucent with white PP screw cap or PPCO, translucent with white PP screw cap and TPE seal

Large, strong walled bottles for demanding applications with a particularly wide opening. Very robust for storing and shipping liquids and dry substances.

- HDPE: Good chemical resistance. PPCO: Very good chemical resistance, vacuum tight over 24 h at 20 °C
- HDPE: Heat resistant up to +120 °C . PPCO: Heat resistant up to +121 °C
- Leakproof

Capacity (ml)	Thread	Ø ext. (mm)	Height (mm)	Neck I-Ø (mm)	Pk	Cat. No.
HDPE/PP cap						
1000	53B	93	226	39	6	215-7701
2000	53B	119	260	39	2	215-7702
4000	83B	155	338	65	1	215-7704
PPCO/PP cap						
1000	53B	93	226	39	6	215-7711
2000	53B	119	260	39	2	215-7712
4000	83B	155	338	65	1	215-7714
5000	83B	156	414	64	1	215-7716



Bottles, wide mouth, with screw cap, Nalgene®
Thermo Scientific



PPCO, translucent with PP screw cap

Can be used anywhere in the laboratory and for sample collection. Wide opening for rapid filling and dispensing of powders, pastes and liquids.

- Very good chemical resistance
- Heat resistant up to +121 °C, autoclavable
- Leakproof

Capacity (ml)	Thread (mm)	Ø ext. (mm)	Height (mm)	Neck I-Ø (mm)	Pk	Cat. No.
30	28	34	63	21	12	215-7221
60	28	39	86	21	12	215-7222
125	38	50	99	28	12	215-7223