



Measuring cylinders Kartell



PMP (TPX[®]), transparent, tall form, autoclavable

- Pouring spout, pentagon base and moulded white graduations
- No meniscus, chemically non-absorbant, non-wetting surface, excellent chemical resistance
- Can be used with liquids up to +170 °C

ISO 6706, BS 5404 Part 2

Capacity (ml)	Division (ml)	Tolerance (± ml)	Height (mm)	Pk	Cat. No.
10	0,2	0,2	139	1	612-0951
25	0,5	0,5	195	1	612-0952
50	1,0	1,0	199	1	612-0953
100	1,0	1,0	249	1	612-0954
250	2,0	2,0	315	1	612-0955
500	5,0	5,0	361	1	612-0956
1000	10,0	10,0	438	1	612-0957
2000	20,0	20,0	531	1	612-0958



Measuring cylinders Kartell



PMP (TPX[®]), transparent, low form, autoclavable

- Pouring spout, circular base and moulded white graduations
- Excellent chemical resistance
- Can withstand temperatures up to +170 °C

Capacity (ml)	Division (ml)	Height (mm)	Ø (mm)	Pk	Cat. No.
10	0,25	87	16	1	612-4000
25	1	107	22	1	612-4001
50	2,5	143	29	1	612-4002
100	5	177	34	1	612-4003
250	10	263	45,5	1	612-4004
500	10	302	55,5	1	612-4005
1000	25	331	70	1	612-4006
2000	50	369	92	1	612-4007



VWR.COM TALKING YOUR LANGUAGE

The local website with global reach